










Technische Daten / Technical Data

	Schnittleistung cutting capacity mild steel	Messerlänge mm blade length mm	Schnittwinkel cutting angle	Gewicht kg weight kg	Maße mm overall dimensions mm	Tisch Maße mm table dimensions mm	Zweite Station 2nd station	Tiefe mm depth mm
LB 12/4	4 (3)	225	90°	660	1250 x 910 x 1340	910 x 620		
LB 12/6	6 (4)	225	90°	700	1250 x 910 x 1340	910 x 620		
LB 13	6 (4)	225	90°	1000	1350 x 1100 x 1340	1100 x 789		
LB 13 / Stanzen Punching	6 (4)	225	90°	1100	1350 x 1100 x 1280	1100 x 1130	∅ 30 mm max.	120
LB 13 / Schneiden Coping	6 (4)	225	90°	1100	1350 x 1100 x 1280	1100 x 1130	 100 x 25	
LB 13 Quick	6 (4)	225	90°	1200	1350 x 1100 x 1280	1100 x 1130	 100 x 25  100 x 15-45°	
LB 15/2000	8/10* (6/8*)	225	90°	1100	1350 x 1100 x 1280	1100 x 789		
LB 15/2000 Stanzen Punching	8/10* (6/8*)	225	90°	1200	1350 x 1100 x 1340	1100 x 1130	∅ 30 mm max.	120
LB 15/2000 Schneiden Coping	8/10* (6/8*)	225	90°	1200	1350 x 1100 x 1280	1100 x 1130	 100 x 25	
LB 15/2000 Quick	8/10* (6/8*)	225	90°	1200	1350 x 1100 x 1280	1100 x 1130	 100 x 25  100 x 15-45°	
Mini S	4 (3)	150	30-120°	850	1250 x 1000 x 1160	1000 x 650		
Varicenter	4 (3)	150	30-120°	1000	1300 x 1000 x 1250	1100 x 1130	 100 x 25	
Varicenter F	4 (3)	150	30-120°	1000	1300 x 1000 x 1400	1100 x 1130 + Sonderwerkzeug	 100 x 25	
Mini S Stanzen Punching	4 (3)	150	30-120°	1000	1300 x 1000 x 1300	1100 x 1130	∅ 30 mm max.	120
K 30-120	6 (4)	200	30-120°	1600	1500 x 1300 x 1380	1000 x 740		
K 30-120 Stanzen Punching	6 (4)	200	30-120°	2000	1500 x 1300 x 1380	1600 x 1000	∅ 105 mm max.	300
K 30-120 Schneiden Coping	6 (4)	200	30-120°	1900	1500 x 1300 x 1380	1600 x 1000	 100 x 25	

(*reverse blades) () stainless steel